

AK

Notice of Allowability	Application No.	Applicant(s)
	10/800,232	VALASKOVIC ET AL.
	Examiner	Art Unit
	Kalimah Fernandez	2881

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 2-2-05.
2. The allowed claim(s) is/are 57-66.
3. The drawings filed on 12 March 2004 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

Terminal Disclaimer

1. The terminal disclaimer filed on 2-2-05 disclaiming the terminal portion of any patent granted on this application, which would extend beyond the expiration date of US Pat 6,744,046 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Allowable Subject Matter

1. Claims 57-66 are allowed. The following is an examiner's statement of reasons for allowance: the prior art of record fails teach or fairly suggest the claimed invention.

2. Specifically, no teaching or obvious suggestion was found of the limitation " focusing light from a source of light to intersect one or more of the liquid cone, jet and plume of the fluid emitted by the electrospray nozzle, detecting scattered light patterns, transmitted light patterns or both, passing through, reflected by or emitted from the fluid emitted by the electrospray nozzle as a result of the intersection of the light with the one or more of the liquid cone, jet and plume, with one or more photodetectors... comparing the interpreted patterns to a reference pattern, which is defined

by the predetermined electrospray pattern, with a second computer or microprocessor, and generating a control signal in response to the comparison and transmitting the control signal to a controller, which, in accordance with the control signal, and displaces the nozzle or the counterelectrode, or both, to adjust the distance between the electrospray nozzle and the counterelectrode...." as in claim 57.

3. Claims 58-66 are allowed by virtue of their dependency.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion


4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US Pat No 6,245,227 issued to Moon et al is considered the closest relevant. ^{prior art} Moon et al disclose a feedback control (see col.14, lines 53-67), but fail to teach or obviously suggest the claimed invention.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kalimah Fernandez whose telephone number is 571-272-2470. The examiner can normally be reached on Mon-Tues 6:30-3:30; Wed-Thurs 8-5 and Fri.9am-6 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R Lee can be reached on 571-272-2477. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KF


JOHN R. LEE
PRIMARY EXAMINER
JULY 2000